

**TOWN OF BROOKLYN
PLANNING AND ZONING COMMISSION
NOTICE OF PUBLIC HEARING**

The Planning and Zoning Commission will hold a public hearing on Tuesday July 19, 2022, at 6:30 p.m. via Zoom and in-person at the Clifford B. Green Memorial Center, 69 South Main Street Brooklyn, CT on the following:

1. **SP 22-002:** Special Permit Application for a 6,000 sq ft storage/maintenance building with associated driveway, septic, well, drainage, and grading at 170 South St., Applicant: Country View Restaurant, LLC, R-30/Golf Course Overlay Zone.
2. **ZRC 22-005:** Proposal to add Zoning Regulations Sec. 4.D.2.3.18 and 6.S to require a 6,000 linear foot separating distance between retail cannabis establishments.

A copy of these applications will be available for review on the Town of Brooklyn website, Town Clerk office and at the Land Use office. All interested parties may attend the meeting, be heard and written correspondence received. Written correspondence may be submitted in advance of the meeting to the Town Planner at j.roberson@brooklynct.org or at 69 South Main Street Brooklyn, CT 06234.

Please publish July 6th and July 13th



PLANNING AND ZONING COMMISSION
TOWN OF BROOKLYN
CONNECTICUT

Received Date _____

Application #SP 22-002
Check # 1035

APPLICATION FOR SPECIAL PERMIT

Name of Applicant BROOKLYNS COUNTRYVIEW RESTAURANT, LLC Phone 860 230 6848
Mailing Address 170 SOUTH STREET, BROOKLYN, CT 06234 Phone _____

Name of Engineer/Surveyor PC SUREVY ASSOCIATES, LLC , (KILLINGLY ENGINEERING ASSOCIATES)
Address 63 SNAKE MEADOW ROAD, KILLINGLY, CT 06239
Contact Person PAUL TERWILLIGER, LS Phone 860 774 6230 Fax _____
NORMAND THIBEAULT, PE 860 779 7299

Name of Attorney _____
Address _____
Phone _____ Fax _____

Property location/address 170 SOUTH STREET, BROOKLYN, CT 06234
Map# 40 Lot# 11 Zone R30 GCO Total Acres 11.58
Sewage Disposal: Private X Public _____ Existing X Proposed X
Water: Private X Public _____ Existing X Proposed X

Proposed Activity CONSTRUCTION OF 6000 S.F. STORAGE/MAINTENANCE BUILDING WITH ASSOCIATED DRIVEWAY,
SEPTIC SYSTEM, WELL, DRAINAGE AND SITE GRADING (EXPANSION OF EXISTING USE)



Compliance with Article 4, Site Plan Requirements

Is parcel located within 500 feet of an adjoining Town? NO

The following shall accompany the application when required:

Fee \$ 445 State Fee (\$60.00) \$60 + 150 3 copies of plans 3 Sanitary Report _____
4.5.5 Application/ Report of Decision from the Inland Wetlands Commission
4.5.5 Applications filed with other Agencies
12.1 Erosion and Sediment Control Plans

The owner and applicant hereby grant the Brooklyn Planning and Zoning Commission, the Board of Selectman, Authorized Agents of the Planning and Zoning Commission or Board of Selectman, permission to enter the property to which the application is requested for the purpose of inspection and enforcement of the Zoning regulations and the Subdivision regulations of the Town of Brooklyn

Applicant: X  Date 6/6/22
Owner: X  Date 6/6/22

*Note: All consulting fees shall be paid by the applicant

ABUTTERS LIST – MAP 40 , LOT 11 - 170 SOUTH STREET, BROOKLYN, CT

MAP 40 , LOT 9

PETER WOLAK, TRUSTEE – EVERGREEN WILDLIFE FOUNDATION LAND TRUST
134 SOUTH STREET, BROOKLYN, CT 06234

MAP 40 , LOT 12

KA&G DEVELOPMENT, LLC
15 WOODLAND AVENUE, BALTIC, CT 06330

MAP 40 , LOT 12-1

ADVANTA IRA SERVICES, LLC
15 WOODLAND AVENUE, BALTIC, CT 06330

MAP 40 , LOT 13

ROBERT HARRY PERRY, SR.
202 SOUTH STREET, BROOKLYN, CT 06234

MAP 40 , LOT 14

RACHEL MARIE FORTIN
23 FORTIN DRIVE, BROOKLYN, CT 06234

MAP 41 , LOT 129

PINEDALE FARM, LLP
278 SPERRY ROAD, BETHANY, CT 06524



PC survey associates, llc

63 Snake Meadow Road, Killingly, CT 06239

June 8, 2022

Brooklyn Planning & Zoning Commission
69 South Main Street Suite 2
Brooklyn, CT 06234

Dear Chairman,

Attached please find an application for a special permit for my client's property located at 170 South Street. This is the site of the Countryview Restaurant and driving range, which is situated in the Golf Course Overlay Zone within the R-30 zone. The current uses on the property are a 75 seat restaurant and a golf driving range, which were existing at the time of the creation of the Golf Course Overlay Zone, and were actually the reason that the zone was created in the first place.

My client, Jeff Fontaine, is looking to expand the current use by building a 6000 square foot storage and maintenance building at the rear of the property. This building will be used primarily for the storage of various tractors and equipment used in the upkeep of the driving range and will give them a place to perform any routine maintenance this equipment may need. It will also allow for storage space for the various groundskeeping items needed to maintain the driving range as well as supplies for its use (golf balls, clubs, etc.). Some storage of restaurant equipment or supplies may also take place within the building, as needed. Any proposed use will be in connection with the existing uses on the property, no additional separate commercial use is proposed.

The building will be a steel structure on slab with vehicular entrance doors located to the rear and right side. It will have the appearance of a large barn-like structure. The location of the building is such that it should not be obvious from the road. The adjacent properties are currently undeveloped in the area adjacent to this proposal, with the property to the west being owned by a trust in the R-30 zone and the property to rear being zoned Industrial. Visual impacts to neighboring properties should be minimal. Note that we are proposing planting arborvitae along the boundary with the R-30 zone.


We do not anticipate any substantial increase in traffic as a result of this proposal. The building is not open to the public and no new employees will be added. There may be an increase in traffic activity during construction, but that will be temporary and on site traffic patterns will be altered if necessary to minimize impact to the existing businesses.


This application has been submitted to the Brooklyn Inland Wetlands and Watercourses Commission and the Northeast District Department of Health for their review and approval. Results are pending as of the date of this writing.


Thank You,

Paul A. Terwilliger, LS











BCV RESTAURANT BLDG



RIGID FRAME ELEVATION: FRAME LINE 2 3 4

NORTHERN BUILDING SYSTEMS		Fontaine Real Estate LLC	
PROJECT	BCV Restaurant Bldg	FRAME CROSS SECTION	
ID	2205-003	PRELIM. - NOT FOR CONSTRUCTION	
PROJECT	170 South Street	CSR:TMZ	
ADDRESS	Brooklyn, CT 06351	DATE: 5/17/22	DRAWING: FRXS-1







ANCHOR BOLT PLAN
 NOTE: All Base Plates @ 100'-0" (U.N.)


NORTHERN BUILDING SYSTEMS		Fontaine Real Estate LLC
PROJECT	BCV Restaurant Bldg	ANCHOR BOLT PLAN
ID	2205-033	PRELIM. - NOT FOR CONSTRUCTION
PROJECT	170 South Street	CSR:TMZ
ADDRESS	Brooklyn, CT 06351	DATE: 5/17/22 DRAWING: ABLT-1






- DESIGN NOTES**
- 1) JOINTS TO BE SEALED WITH BUTYL RUBBER SEALANT
 - 2) INLETS AND OUTLETS TO HAVE STATE-APPROVED SEALS.
 - 3) MEETS H20 WHEEL LOAD REQUIREMENTS.
 - 4) MUST MEET ASTM 1227
 - 5) CONCRETE STRENGTH SHALL BE 5000 PSI. MIN. 28 DAYS

**1000 GALLON - H2O
TWO-COMPARTMENT SEPTIC TANK**
N.T.S.



FLOWDIFFUSOR TRENCH SECTION
N.T.S.



DISTRIBUTION BOX
N.T.S.

SOIL TEST DATA - 4/26/2022 BY N.D.D.H.

TP1
0-8" TOPSOIL
8-32" REDDISH BROWN FINE LOAMY SAND
32-88" GRAY COMPACT FINE LOAMY SAND, PAN
MOTTLING AT 32"
NO WATER
NO LEDGE

TP2
0-12" TOPSOIL
12-32" REDDISH BROWN FINE LOAMY SAND
32-52" MOTTLED TAN FINE LOAMY SAND
52-88" GRAY COMPACT LOAMY SAND w/ ROCKS
MOTTLING AT 32"
LEDGE AT 88"

PERCOLATION TEST B:

TIME	READING
10:33	3"
10:40	6"
10:42	9"
10:44	11"
10:46	12.5"
10:48	DRY

PERCOLATION RATE: 1.33 MIN./INCH @ 32" DEPTH

SEPTIC SYSTEM NOTES

PERC RATE: 1.33 MIN./INCH

DESIGN FLOW: 800 GPD (0.1 GPD/S.F. x 6000 S.F.)

SEPTIC TANK: 1000 GALLON (H20)

LEACHING AREA REQUIRED: 800 GPD/1.5 = 400 SQ. FT. ELA

LEACHING AREA PROVIDED: 72' OF 12" CONC. LEACHING GALLERIES @ 5.9 S.F./L.F. = 424.8 SQUARE FEET.

MOTTLING: 32", LEDGE: 88", WATER: N/A

MLSS CALCULATION: HF = 26 (6.1-8% SLOPE, 32" TO RESTRICTIVE)

FF = 600/300 = 2.0

PF = 1.0 (UP TO 10 MIN./INCH)

MLSS = HF x FF x PF = 26 x 2.0 x 1.0 = 52 L.F. MLSS

MLSS PROVIDED: 72 L.F.

MAXIMUM DEPTH INTO EXISTING GRADE: 8"

SPECIFICATIONS

SEPTIC SYSTEM INSTALLATION SHALL BE IN ACCORDANCE WITH THE "CONNECTICUT PUBLIC HEALTH CODE REGULATIONS AND TECHNICAL STANDARDS FOR SUBSURFACE SEWAGE DISPOSAL SYSTEMS".

SEPTIC TANK: JOLLEY PRECAST, INC. OR EQUAL TWO-COMPARTMENT H20 LOAD RATED TANK WITH OUTLET FILTER. INSTALL RISERS OVER TANK CLEANOUTS IF COVER OVER TANK EXCEEDS 1'.

DISTRIBUTION BOX: JOLLEY OR EQUAL 4 HOLE D-BOX

HOUSE AND EFFLUENT SEWER PIPE: 4" PVC ASTM D 1785 OR ASTM D 2685 SCHEDULE 40 WITH RUBBER COMPRESSION GASKETS OR PVC AWWA C-900 WITH RUBBER COMPRESSION GASKETS.

DISTRIBUTION: 12" HIGH FLOWDIFFUSOR CONCRETE LEACHING GALLERIES

POLYLOK PIPE SEAL AS MANUFACTURED BY SUPERIOR SEPTIC TANKS (OR EQUAL) SHALL BE USED TO SEAL SEPTIC TANK AND D-BOX INLETS AND OUTLETS.

BOTTOM OF TRENCHES TO BE LEVEL.

ALL FILL SHALL BE CLEAN BANK RUN GRAVEL, MEETING THE FOLLOWING REQUIREMENTS OF THE CT DEPT. OF PUBLIC HEALTH.:
MAX. PERCENT GRAVEL (PLUS NO. 4 SIEVE MATERIAL) - 45%
GRADATION ON FILL LESS GRAVEL:

SIEVE	DRY PERCENT PASSING	WET PERCENT PASSING
NO. 4	100	100
NO. 10	70-100	70-100
NO. 40	10-75	10-50*
NO. 100	0-5	0-20
NO. 200	0-2.5	0-5

* PERCENT PASSING THE #40 SIEVE CAN BE INCREASED TO NO GREATER THAN 75% IF THE PERCENT PASSING THE #100 SIEVE DOES NOT EXCEED 10% AND THE #200 SIEVE DOES NOT EXCEED 5%

FILL MUST PERC AT A RATE EQUAL TO OR FASTER THAN THE UNDERLYING SOIL.

TEMPORARY VEGETATIVE COVER

A TEMPORARY SEEDING OF RYE GRASS WILL BE COMPLETED WITHIN 15 DAYS OF THE FORMATION OF STOCKPILES. IF THE SOIL HAS BEEN COMPACTED BY CONSTRUCTION OPERATIONS IT SHALL BE LOOSENEED TO A DEPTH OF 2 INCHES BEFORE THE FERTILIZER, LIME AND SEED IS APPLIED. 10-10-10 FERTILIZER AT A RATE OF 7.5 POUNDS PER 1000 S.F. LIMESTONE AT A RATE OF 90 LBS. PER 1000 S.F. SHALL BE USED. RYE GRASS APPLIED AT A RATE OF 1 LB. PER 1000 S.F. SHALL PROVIDE THE TEMPORARY VEGETATIVE COVER. STRAW FREE FROM WEEDS AND COARSE MATTER SHALL BE USED AT A RATE OF 70-90 LBS. PER 1000 S.F. AS A TEMPORARY MULCH. APPLY A JUTE NETTING COVER TO SLOPES OF 3:1 OR GREATER SLOPE.


PERMANENT VEGETATIVE COVER

TOPSOIL WILL BE REPLACED ONCE THE EXCAVATION AND FILL PLACEMENT HAS BEEN COMPLETED AND THE SLOPES ARE GRADED TO A SLOPE NO GREATER THAN 2 TO 1. PROVIDE SLOPE PROTECTION ON ALL CUT SLOPES. TOPSOIL WILL BE SPREAD AT A MINIMUM COMPACTED DEPTH OF 4 INCHES. ONCE THE TOPSOIL HAS BEEN SPREAD, ALL STONES TWO INCHES OR LARGER IN ANY DIMENSION WILL BE REMOVED AS WELL AS DEBRIS. APPLY AGRICULTURAL GROUND LIMESTONE AT THE RATE OF TWO TONS PER ACRE OR 100 LBS. PER 1000 S.F. APPLY 10-10-10 FERTILIZER OR EQUIVALENT AT THE RATE OF 300 LBS. PER ACRE OR 7.5 LBS. PER S.F. WORK LIMESTONE INTO THE SOIL TO A DEPTH OF 4 INCHES. INSPECT SEEDBED BEFORE SEEDING. IF TRAFFIC HAS COMPACTED THE SOIL, RETILL COMPACTED AREAS. APPLY THE FOLLOWING GRASS SEED MIX:


SEED MIXTURE	LBS./ACRE	LBS./1000 S.F.
KENTUCKY BLUEGRASS	20	0.45
CREeping RED FESCUE	20	0.45
PERENNIAL RYEGRASS	5	0.10
	45	1.00

THE RECOMMENDED SEEDING DATES ARE: APRIL 1 - JUNE 15 AND AUGUST 30 - OCTOBER 1


FOLLOWING SEEDING MULCH WITH WEED FREE STRAW AND APPLY A JUTE NETTING COVER TO AREAS OF 3:1 OR GREATER SLOPE




DRIVEWAY SECTION
NOT TO SCALE



STORMWATER COLLECTION TRENCH
NOT TO SCALE



LEVEL SPREADER
NOT TO SCALE



LEACHFIELD CROSS-SECTION A-A
SCALE: 1"=5'

EROSION & SEDIMENT CONTROL PLAN

REFERENCE IS MADE TO:

1. CONNECTICUT GUIDELINES FOR SOIL EROSION AND SEDIMENT CONTROL, MAY 2002.
2. SOIL SURVEY OF WINDHAM COUNTY CONNECTICUT, U.S.D.A. SOIL CONSERVATION SERVICE 1983.

DEVELOPMENT

PROPOSED DEVELOPMENT CONSISTS OF THE CONSTRUCTION OF A 6000 S.F. MAINTENANCE/STORAGE BUILDING WITH APPURTENANT SEPTIC SYSTEM, WELL, DRIVEWAY, UTILITIES AND SITE GRADING.

CONSTRUCTION SEQUENCE:

1. INSTALL EROSION AND SEDIMENT CONTROL STRUCTURES ALONG THE PROPOSED LIMITS OF DISTURBANCE.
2. REMOVE AND STOCKPILE TOPSOIL AND INSTALL SEDIMENT BARRIER.
3. ROUGH GRADING AND DRIVEWAY INSTALLATION.
4. EXCAVATE FOUNDATION SITE AND BEGIN BUILDING CONSTRUCTION.
5. INSTALL SEPTIC SYSTEM AND WELL.
6. INSTALL UTILITIES TO THE BUILDING.
7. FINAL DRIVEWAY GRADING AND SURFACING.
8. LOAM, SEED & MULCH DISTURBED AREAS AND LANDSCAPING.
9. REMOVE EROSION AND SEDIMENT CONTROL.

GENERAL DEVELOPMENT PLAN

PRIOR TO THE COMMENCEMENT OF OPERATIONS IN ACCORDANCE WITH ANY PERMIT ISSUED BY THE TOWN OF BROOKLYN, THE CONTRACTOR SHALL INSTALL ALL EROSION AND SEDIMENT CONTROL DEVICES.

THE CONTRACTOR SHALL OBTAIN A SITE INSPECTION FROM THE TOWN OF BROOKLYN ZONING ENFORCEMENT OFFICER OR WETLANDS AGENT TO ENSURE THAT ALL EROSION AND SEDIMENT CONTROL MEASURES HAVE BEEN INSTALLED IN ACCORDANCE WITH THIS NARRATIVE. UPON APPROVAL WITH RESPECT TO THE INSTALLATION OF EROSION AND SEDIMENT CONTROL MEASURES, THE CONTRACTOR MAY COMMENCE OPERATIONS PURSUANT TO THE PERMIT. EROSION AND SEDIMENT CONTROL DEVICES SHALL BE INSTALLED IN ACCORDANCE WITH THE 'SILT FENCE INSTALLATION & MAINTENANCE' SECTION OF THIS NARRATIVE.

ALL STRIPPING IS TO BE CONFINED TO THE IMMEDIATE CONSTRUCTION AREA. TOPSOIL SHALL BE STOCKPILED SO THAT SLOPES DO NOT EXCEED 2 TO 1. THERE SHALL BE NO BURIAL OF STUMPS. A SILT FENCE SEDIMENT BARRIER IS TO SURROUND EACH STOCKPILE AND A TEMPORARY VEGETATIVE COVER PROVIDED IF NECESSARY.

DUST CONTROL WILL BE ACCOMPLISHED BY SPRAYING WITH WATER.

FINAL STABILIZATION OF THE SITE IS TO FOLLOW THE PROCEDURES OUTLINED IN PERMANENT VEGETATIVE COVER. IF NECESSARY A TEMPORARY VEGETATIVE COVER IS TO BE PROVIDED UNTIL A PERMANENT COVER CAN BE APPLIED.

DURING THE STABILIZATION PERIOD, ALL EROSION AND SEDIMENT CONTROL MEASURES SHALL BE MAINTAINED IN PROPER WORKING ORDER. THE CONTRACTOR SHALL BE RESPONSIBLE FOR CHECKING ALL EROSION AND SEDIMENT CONTROL ON A TWICE-WEEKLY BASIS DURING THE STABILIZATION PERIOD AND AFTER EACH STORM EVENT. DURING THE STABILIZATION PERIOD WITH RESPECT TO THE SITE, ANY EROSION WHICH OCCURS WITHIN DISTURBED AREAS SHALL BE IMMEDIATELY REPAIRED, RESEEDED AND RE-ESTABLISHED.

ALL DISTURBED SLOPES SHALL BE STABILIZED WITHIN ONE SEASON (SPRING OR FALL) OF THE COMPLETION OF THE PROJECT.

ONCE STABILIZATION HAS BEEN COMPLETED AND APPROVED BY THE TOWN OF BROOKLYN ZONING ENFORCEMENT OFFICER, EROSION AND SEDIMENT CONTROL MEASURES SHALL BE REMOVED BY THE CONTRACTOR.

SILT FENCE INSTALLATION AND MAINTENANCE:

1. DIG A 6" DEEP TRENCH ON THE UPHILL SIDE OF THE BARRIER LOCATION.
2. POSITION THE POSTS ON THE DOWNHILL SIDE OF THE BARRIER AND DRIVE THE POSTS 1 FOOT INTO THE GROUND.
3. LAY THE BOTTOM 6" OF THE FABRIC IN THE TRENCH TO PREVENT UNDERMINING AND BACKFILL.
4. INSPECT AND REPAIR BARRIER AFTER HEAVY RAINFALL.
5. INSPECTIONS WILL BE MADE AT LEAST ONCE PER WEEK AND WITHIN 24 HOURS OF THE END OF A STORM WITH A RAINFALL AMOUNT OF 0.5 INCH OR GREATER TO DETERMINE MAINTENANCE NEEDS.
6. SEDIMENT DEPOSITS ARE TO BE REMOVED WHEN THEY REACH A HEIGHT OF 1 FOOT BEHIND THE BARRIER OR HALF THE HEIGHT OF THE BARRIER AND ARE TO BE DEPOSITED IN AN AREA WHICH IS NOT REGULATED BY THE INLAND WETLANDS COMMISSION.
7. REPLACE OR REPAIR THE FENCE WITHIN 24 HOURS OF OBSERVED FAILURE. FAILURE OF THE FENCE HAS OCCURRED WHEN SEDIMENT FAILS TO BE RETAINED BY THE FENCE BECAUSE:
 - THE FENCE HAS BEEN OVERTOPPED, UNDERCUT OR BYPASSED BY RUNOFF WATER,
 - THE FENCE HAS BEEN MOVED OUT OF POSITION, OR
 - THE GEOTEXTILE HAS DECOMPOSED OR BEEN DAMAGED.




Killingly Engineering Associates
114 Westcott Road
P.O. Box 421
Dayville, Connecticut 06241
860 779 7299


Norman Thibault, Jr. P.E.
NO. 22834 DATE

E&S CONTROL & DETAIL SHEET
FOR SITE PLAN
OF PROPOSED BUILDING
TO BE LOCATED ON LAND OF
BROOKLYN'S COUNTRYVIEW RESTAURANT, LLC

170 SOUTH STREET
BROOKLYN, CONNECTICUT
DATE: MAY 2022
SCALE: 1" = AS NOTED



JOB NO: 22016 F.B. NO: N/A DRAWN BY: P.A.T. MAP NO:



63 SNAKE MEADOW RD
KILLINGLY, CT 06239
860 774 6230
SHEET NO: 2 OF 2
REVISED:

**TOWN OF BROOKLYN
PLANNING AND ZONING COMMISSION**

**REQUEST FOR CHANGE
IN
ZONING REGULATIONS**

Date 6/16/2022 Check # _____ Application #ZRC 22-005

Application Fee: \$250 _____ State Fee: \$60 _____ Publication Fee: \$600 _____

Public Hearing Date _____ Commission Action _____ Effective Date _____

Name of Applicant TOWN OF BROOKLYN PZC Phone _____

Mailing Address 69 S. MAIN ST. SUITE 22 BROOKLYN, CT

REQUEST TO AMEND ARTICLE(S) _____ SECTION(S) 4, D. 2, 3, 18, 6.5

If more than one Article is requested please attach separate sheet for each one

PARAGRAPH TO CHANGE _____ OF THE ZONING REGULATIONS

REQUEST TO CHANGE:

SEE ATTACHED.

REASON FOR REQUEST:

Note: A petition may be filed at the Hearing by 20% or more of the area lots included in such a change within 500 ft of the property under Section 16.5 of the Zoning Regulations

Additions in BOLD

- 1) *Explanation: The purpose of this change is to control the number and proximity of retail cannabis outlets in a rural community of our population as a matter of public safety, convenience and to preserve property values and as a means of promoting health and the general welfare of the community and to preserve the community's quality of life.*
Pg. 71 and Pg. 151

4.D.2.3.18 Permitted Principal Uses in the PC Zone – Business-Related Uses

Proposed: Retail sale of cannabis by a Cannabis Retailer, or
Retail sale of cannabis and medical marijuana by a Hybrid Retailer, **in**
accordance with Section 6.S Special Permit (PZC)

6.S. Separating Distance for Retail Sale of Cannabis**6.S.1 Purpose**

The intent of this regulation is to control the number and proximity of retail cannabis outlets in a rural community of our population as a matter of public safety and convenience, to preserve property values, as a means of promoting health and the general welfare of the community, and to preserve the community's quality of life.

6.S.2 Standards

Notwithstanding any other Section of these Regulations, retail sale of cannabis by a cannabis retailer or a hybrid retailer may be allowed as a Special Permit use in accordance with the provisions of Sec. 9.D. and further subject to the following provision: that any cannabis retailer shall be located not less than 6,000 linear feet from another cannabis retailer or hybrid retailer. The separating distance between any two cannabis retail outlets (whether a cannabis retailer or a hybrid retailer) shall be measured from the nearest property line of the lot upon which the use is located to the nearest property line of the lot upon which another retail sale of cannabis use is proposed. No variance shall be issued by the Zoning Board of Appeals to reduce this separating distance.