

SCBA BOTTLE CHART

Bottle number	Date of manufacture	Last hydro test	5 year Hydro	15 Year Expiration	
435073	10-11	2-19	2-24	10-26	
435007	10-11	2-19	2-24	10-26	
435257	10-11	9-23		10-26	
435444	10-11	2-19	N/A	2-24	10-26
360852	7-09	5-19	5-24	7-24	
435021	10-11	9-23		10-26	
519861	6-14	5-19	N/A	5-24	6-29
518863	7-14	5-19	5-24	7-29	
360480	7-09	5-19	5-24	7-24	
496374	5-14	5-19	5-24	5-29	
359938	7-09	2-23		7-24	
434984	10-11	2-19	N/A	2-24	10-26
IL 1082676	4-22	4-22	4-27	4-37	
435440	10-11	2-19	2-24	10-26	
3604071	7-9	5-19	5-24	7-24	
599324	9-18	9-23	9-28	9-33	
599824	10-18	Never tested		10-33	
599823	10-18	Never tested		10-33	
615408	10-18	Never tested		10-33	
615306	10-18	Never tested		10-33	
519893	6-14	5-19	5-24	6-29	
552328	4-16	2-23	2-28	4-31	
520666	7-14	Never tested		7-29	
599833	10-18	Never tested		10-33	
599191	9-18	Never tested		9-33	
550652	3-16	Never tested		3-31	
599596	10-18	Never tested		10-33	
550749	3-16	2-23	2-25	3-31	
IL1082698	4-22	4-22	4-27	4-37	
IL1082684	4-22	4-22	4-27	4-37	
599022	9-18	Never tested		9-33	
615415	10-18	Never tested		10-33	
615323	10-18	Never tested		10-33	
360846	7-09	5-19	5-24	7-24	
360155	7-09	2-23	2-28	7-24	
599837	10-18	9-23	9-28	10-33	
360467	7-09	9-23	9-25	7-24	
360489	7-09	5-19	5-24	7-24	
IL1082680	4-22	4-22	4-27	4-37	
IL1082690	4-22	4-22	4-27	4-37	
IL1082196	4-22	4-22	4-27	4-37	
435005	10-11	2-19	2-24	10-26	
599176	9-18	Never tested		9-33	